AUTHOR INDEX

ABE, J.-I., 191 AJISAKA, K., 139 ALBERSHEIM, P., 261, 279 ANDERSSON, M., 211

Backinowsky, L. V., c1 Ban, C., 307 Beauchamp, R. D., 39 Bell, C. F., 39 Boyko, W. J., 61

Carlin, N., 211 Casey, A., 147 Choay, J., 69 Colquhoun, I. J., 233 Conner, A. H., 249

DARVILL, A. G., 261, 279 DEBRAY, H., 15

EL KHADEM, H. S., 51 ENNIFAR, S., 51

FEATHER, M. S., 315 FORSYTHE, K. L., 315 FREJD, T., 171 FUJIKURA, K., 307 FUJIMOTO, H., 139

GETTINS, P., 69 GHOSAL, P. K., 105 GIANFERRARA, T., 119 GIBSON, T. S., 147 GIULIANO, R. M., 61 GOTO, M., 307

HAYASAKA, E., 307 HAYASHIDA, M., 91 HELM, R. F., 249 HINDSGAUL, O., 163 HIZUKURI, S., 191 HORGAN, L., 147

ISBELL, H. S., 51

JANSSON, K., 171

Karácsonyi, Š., 199 Kasai, R., 27 Kasperowicz, S., 61 Kihlberg, J., 171 KITZING, S., 171 KOCHETKOV, N. K., C1 KOIZUMI, K., 191 KÖNIG, W. A., 113 KOVÁČIK, V., 199 KUBOTA, Y., 191 KUZUHARA, H., 91

LEONTEIN, K., 211 LINDQUIST, U., 211

Magnusson, G., 171
Majumdar, S. G., 105
Mandai, T., 191
Martel, C., 1
Martin, O. R., 77
Matsuura, H., 27
McCleary, B. V., 147
Mischnick-Lübbecke, P., 113
Mizutani, K., 27
Montreuil, J., 1, 15

NAKAMURA, M., 27 NEPOGOD'EV, S. A., C1

O'FLAHERTY, J., 147 OKADA, Y., 191

PAOLETTI, S., 119, 131 PAROLIS, H., 225 PAROLIS, L. A. S., 225

RAFKA, R. J., 77 RAY, B., 105 RHEINGOLD, A. L., 61 RYDEN, P., 233

Saito, K.-I., 307 Sakairi, N., 91 Sakai, S., 191 Selvendran, R. R., 233 Sheehan, H., 147 Shimamura, A., 239 Short, E. L., 39 Skjåk-Bræk, G., 119, 131 Slettengren, K., 211 Srivastava, V., 163 Strecker, G., 1 Sugai, K., 307 Sugiyama, N., 307 Szarek, W. A., 77 Tanaka, O., 27 Thakur, S., 105 Thomas, J. R., 261, 279 Tomita, K., 307

VENTER, R. D., 225

WIERUSZESKI, J.-M., 1

YAMADA, N., 307 YOUND, R. A., 249

ZANETTI, F., 131

SUBJECT INDEX

- Acacia auriculaeformis A. Cunn., structural studies of an acidic polysaccharide from the seeds of, 105
- Acetylation of mannuronic acid residues in calcium alginate gels, selective, 119
- Agglutinin of Aleuria aurantia, isolation and specificity of, 15
- Alginate gels, selective acetylation of mannuronic acid residues in calcium, 119
- Alginates, effects of acetylation on some solution and gelling properties of, 131
- Aleuria aurantia agglutinin, isolation and specificity of, 15
- 1,6-Anhydro-β-maltotriose: preparation from pullulan, and regioselective partial-protection reactions, 91
- α and β -L-Arabinofuranosides, effect of glycosylation on n.m.r. spectra of, 27
- Aspergillus niger, purification, properties, and industrial significance of transglucosidase from, 147
- Benzylated starches, determination of the substitution pattern of, 113
- ¹¹B-n.m.r. spectroscopy and MNDO semiempirical LCAO-MO calculations, a study of borate complexation with pentitols by, 39
- Borate complexation with pentitols, a study of, by ¹¹B-n.m.r. spectroscopy and MNDO semi-empirical LCAO-MO calculations, 39
- Capsular polysaccharide of *E. coli* K39, use of depolymerisation by a bacteriophage-associated glycanase in the structural investigation of the, 225
- Cellulose, the reversion reactions of D-glucose during the hydrolysis of, 249
- Conformations of derivatives of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside, preparation and calculated, 171
- 1,2-O-(1-Cyanoethylidene)-α-D-galactofuranose, formation of cyclo-oligosaccharides by polycondensation of the 3- and 6-O-tritylated derivatives of, C1
- Cyclomaltohexaoses, hydrolysis and synthesis of branched, with *Pseudomonas* isoamylase, 191
- Cyclo-oligosaccharides, formation of, by polycondensation of the 3- and 6-O-tritylated derivatives of 1,2-O-(1-cyanoethylidene)- α -D-galactofuranose, C1

- Detection of isokestose and neokestose in plant extracts by ¹³C-n.m.r. spectroscopy, 315
- Determination of the substitution pattern of benzylated starches, 113
- E. coli serotype-39 capsular polysaccharide: primary structure and depolymerisation by a bacteriophage-associated glycanase, 225
- Effect of acetylation on some solution and gelling properties of alginates, 131
- Escherichia coli O-86, structural studies of the O-antigenic polysaccharide of, which possesses blood-group B activity, 211
- Evalopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-C-methyl- α -L-mannofuranoside, X-ray structural and n.m.r.-spectral studies of methyl α -L-, 61
- Evidence of stable hydrogen-bonded ions during isomerization of hexoses in alkali, 51
- Examination, by ¹H-n.m.r. spectroscopy, of the binding of a synthetic, high-affinity heparin pentasaccharide to human antithrombin III, 69
- D-Fructose derivatives, 4-seleno-, synthesis of, 77
- β -D-GalpNAc-(1→4)- β -D-GlcpNAc-(1→2)- α -D-Manp, synthesis of 3"-sulfate ester of, 163
- α-D-Glucans, formed by the D-glucosyltransferases of *Streptococcus sobinus*, use of ¹³C-n.m.r. spectroscopy for the quantitative estimation of 3-O- and 3,6-di-O-substituted D-glucopyranosyl residues in, 239
- Glycosylation, n.m.r. spectra, effect of, 27
- Heparin pentasaccharide, synthetic high-affinity, examination of the binding of a, to human antithrombin III, by ¹H-n.m.r. spectroscopy, 69
- Hexoses, isomerization of, in alkali, evidence of stable hydrogen-bonded ions during, 51
- Hexulofuranosides, unsaturated, 4-seleno-D-fructose derivatives as precursors of, 77
- Hydrolysis and synthesis of branched cyclomaltohexaoses with *Pseudomonas* isoamylase, 191

Isoamylase, hydrolysis and synthesis of branched cyclomaltohexaoses with *Pseudomonas*, 191

Isokestose detection of, in plant extracts, by ¹³Cn.m.r. spectroscopy, 315

Isolation and structural characterization of the pectic polysaccharide rhamnogalacturonan II from walls of suspension-cultured rice cells, 261

Isoraffinose, enzymic synthesis of, 139

Lectin of Aleuria aurantia, isolation and specificity of, 15

Lutropin, bovine, identification of sulfate ester location on, 163

β-Maltotriose, 1,6-anhydro-, preparation of, from pullulan, 91

Mannuronic acid residues in calcium alginate gels, selective acetylation of, 119

Methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside, preparation and calculated conformations of derivatives of, 171

Neokestose, detection of, in plant extracts, by ¹³C-n.m.r. spectroscopy, 315

Neuraminate, N-acetyl-, sodium salt, thermal degradation of, 307

N.m.r.-spectral studies of methyl α-Levalopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-C-methyl-α-L-mannofuranoside, X-ray structural and, 61

N.m.r. spectra of α - and β -L-arabinofuranosides, effect of glycosylation on, 27

Oligosaccharide alditols of hen ovomucin, ¹Hand ¹³C-n.m.r. assignments for two sulphated, 1

Onion, investigation by ¹³C-n.m.r. spectroscopy of structural features of the pectic polysaccharides of, 233

Ovomucin, hen, ¹H- and ¹³C-n.m.r. assignments for two sulphated oligosaccharide alditols of, 1

Pectic polysaccharides of onion, investigation by ¹³C-n.m.r. spectroscopy of structural features of the, 233

Pentitols, a study of borate complexation with, using ¹¹B-n.m.r. spectroscopy and MNDO semi-empirical LCAO-MO calculations, 39

Polycondensation of the 3- and 6-O-tritylated derivatives of 1,2-O-(1-cyanoethylidene)- α -D-galactofuranose, formation of cyclo-oligosaccharides by, C1

Polysaccharide from the seeds of Acacia auriculaeformis A. Cunn., structural studies of an acidic, 105

Polysaccharide of *Escherichia coli* O-86 which possesses blood-group B activity, structural studies of the O-antigenic, 211

Polysaccharide, pectic (rhamnogalacturonan I) that is a component of monocot cell-walls, 279

Polysaccharide, primary structure of *E. coli* serotype-39 capsular, and depolymerisation by a bacteriophage-associated glycanase, 225

Populus alba L., isolation and characterisation of xyloglucans from, 199

Preparation and calculated conformations of derivatives of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside, 171

Pullulan, preparation of 1,6-anhydro-β-maltotriose from, 91

Purification, properties, and industrial significance of transglucosidase from Aspergillus niger, 147

Raffinose, enzymic synthesis of, 139

Reversion reactions, of D-glucose, during the hydrolysis of cellulose with dilute sulfuric acid, 249

Rhamnogalacturonan I, a pectic polysaccharide that is a component of monocot cell-wall, 279

Rhamnogalacturonan II, a pectic polysaccharide from the walls of suspension-cultured rice cells, isolation and structural characterization of, 261

Rice cells, walls of suspension-cultured, isolation and structural characterization of the pectic polysaccharide rhamnogalacturonan II from, 261

4-Seleno-D-fructose derivatives, synthesis of, 77 Solution and gelling properties of alginates, effect of acetylation on some, 131

Starches, determination of the substitution pattern of benzylated, 113

Structural features of the pectic polysaccharides of onion, investigation by ¹³C-n.m.r. spectroscopy of, 233

Structural studies of an acidic polysaccharide from the seeds of *Acacia auriculaeformis* A. Cunn., 105

Structural studies of the O-antigenic polysaccharide of *Escherichia coli* O-86, which possesses blood-group B activity, 211

Studies of the polysaccharides of *Populus alba* L.: isolation and characterisation of xyloglucans, 199

3"-Sulfate ester of β -D-GalpNAc- $(1\rightarrow 4)$ - β -D-GlcpNAc- $(1\rightarrow 2)$ - α -D-Manp, 163

Sulphated oligosaccharide alditols of hen ovomucin, two, ¹H- and ¹³C-n.m.r. assignments for, 1

Thermal degradation of sodium N-acetyl-neuraminate, 307

Transglucosidase from Aspergillus niger, purification, properties, and industrial significance of, 147

Trisaccharides, enzymic synthesis of, 139

Use of 13 C-n.m.r. spectroscopy for the quantitative estimation of 3 - O - and 3 ,6-di- O -substituted D-glucopyranosyl residues in $^{\alpha}$ -D-glucans formed by the D-glucosyltransferases of *Streptococcus sobrinus*, 239

X-Ray structural and n.m.r.-spectral studies of methyl α -L-evalopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-C-methyl- α -L-mannofuranoside, 61

Xyloglucans from *Populus alba L.*, isolation and characterisation of, 199



